Material Safety Data Sheet LG00010 - Glimenté holographic pigments Page 1

Revised Date: 01/02/2017

## Section1 – Identification of the Substance/Preparation and of the Company Undertaking

Product Name: Lecenté Charmed Glimenté

MSDS Initial Approval Date: 01/02/2017

**Usage:** Cosmetic Ingredient

Product #: LG00010

Manufacturer: Nail Perfection Ltd, Unit 15 Canal Industrial Park, Gravesend, Kent. DA12 2PA. Emergency Phone Numbers: +44 1474 327770 Information Contacts: +44 1474 327770

# Section 2 – Hazard Identification

No particular danger according to 65\*/748/EC and 1999/454/EC Classification and labelling: None

#### Section 3 - Composition/information on ingredients

Synthetic Fluorphlogopite Titanium Dioxide Carmine Tin Oxide Polyethylene Terephthalate Aluminium Binder Polyurethane 33 (32.5%) (14.0%) (2.0%) (1.0%) (41.5%) (1.0%) (5.0%)

May also contain (1-3%) - D&C Red 7, FD&C Red, 34, FD&C Yellow 5, FD&C Blue 27, Blue 15:3, Black 7, D&C Black 2, Yellow 83, Red 122, Violet 23, Titanium Dioxide, FD&C Blue 1, D&C Red 21, D&C Red 28, D&C Yellow 7, Solvent Violet 13, Violet 19, FD&C Red 40, Yellow 3, Iron Oxide, Mica

## Section 4 First Aid Measures

Effects & Symptoms:	
Effects of overexposure:	May cause mechanical irritation to the eyes.
Medical conditions aggravated by exposure:	Persons with respiratory conditions may be at increased risk.
Primary route (s) of entry:	Inhalation, ingestion and eyes.

Emergency First Aid:	
Eye contact:	Flush eyes with water for at least 15 mins, see physician if irritation persists.
Skin contact:	Flush skin with soap and water for at least 15 mins.
Inhalation:	Remove to fresh air. If breathing is difficult give oxygen, see physician.
Ingestion:	None needed for small amounts. For large amounts, if conscious, give water and call physician. Do not induce vomiting.

#### Section 5 – Fire Fighting Measures

Flash Point (Closed Cup)	:N/A	
Flammable limits LEL/UEL %	:N/A	
Extinguishing media	:Water, dry chemical foam and CO2	
Special fire fighting procedures	:Self-contained breathing apparatus and protective clothing	
Unusual fire and explosion hazards	:Can burn in fire, releasing toxic vapours. Vapours are heavier than air and	
	can travel along ground to remote ignition sources.	

#### Section 6 – Accidental Release Measures

Personal Precautions:	Eye contact and inhalation.
Environmental Precautions:	Prevent material from contaminating soil or entering sewerage and drainage systems.
Spill response:	Use appropriate NIOHS/MSHA approved respirator. Wear chemical gloves, goggles and lab coat. Carefully contain spilled material. Deposit spilled material in appropriate waste container. Wash spill area with soap and water.



## Material Safety Data Sheet LG00010 – Glimenté holographic pigments Page 1

Revised Date: 01/02/2017

## Section 7 – Handling & Storage

Handling: Use with adequate ventilation. Avoid contact with eyes. Wash thoroughly after handling and before mealtimes. Follow all MSDS and label precautions even after container is emptied since it may contain

residual material.

**Storage:** Store containers closed in ambient location.

## Section 8 – Exposure Controls/Personal Protective Equipment

**Personal protection:** 

Eye Protection:	Safety glasses with side shields or goggles
Skin Protection:	Rubber gloves, wash at meals and end of shifts
Respiratory Protection:	Use NIOSH/MSHA approved air-purifying respirator as needed to control
Ventilation:	exposure. Provide adequate general mechanical exhaust.

Lecent

### Section 9 – Physical & Chemical Properties

Boiling point (°C):	N/A	Percent Volatile By Vol. (%):	N/A
Freezing Point (°C):	N/A	Vapour Density (Air=1):	N/A
Melting point (°C):	>1000	Evaporation Rate (Buac=1):	N/A
PH Value:	7.0-11.	0Solubility In Water:	Insoluble
Bulk Density (g/cm3):	N/A	Appearance & Odour:	Free Powder with Tropical Green, Odourless
Density (g/ml):	N/A		·

### Section 10 – Stability and Reactivity

Stable:YesHazardous Polymerization:Will not occurConditions To Avoid:Open flames and sparks, extreme heat, oxidizing materialsIncompatibility:Oxidizing materials and strong caustic materials can cause a reaction.Hazardous Decomposition Products:Incomplete combustion can form CO, CO2, and dense smoke

#### Section 11 – Toxicological Information

#### Further toxicological information -

Since the substance is poorly absorbed, no hazardous properties are to be anticipated. Inhalation of the dusts should be avoided as inert dust may impair respiratory organ functions.

## Section 12 – Ecological Information

This product has not been evaluated for its exotoxicity. However, the biodegradation of this product under aerobic conditions is expected to be very poor and there is no evidence to suggest they create ecological problems when released into the environment. Since this product is insoluble, it is believed to have minimal bioaccumulation and bioavailability characteristics.

## Material Safety Data Sheet LG00010 – Glimenté holographic pigments Page 1

Revised Date: 01/02/2017

### Section 13 – Disposable Considerations

**Method of Disposal:** Dispose of in accordance with all applicable federal, state and local regulations. Material may be sent to an approved landfill or licensed treatment, storage and disposal facility.



#### Section 14 – Transport Information

DOT Classification:Not regulated.TDG Classification:Not regulated.IMO/IMDG Classification:Not regulated.ICAO/IATA:Not regulated.

### Section 15 – Regulatory Information

### U.S. Federal Regulations:

Clean Water Act (CWA) 307: No products were found. Clean Water Act (CWA) 311: No products were found. Clean Air Act (CAA) 112 accidental release prevention: No products were found. Clean Air Act (CAA) 112 regulated flammable substances: No products were found. Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

WHMIS (Canada): Not controlled under WHMIS (Canada)

#### **International Regulations**

DSCL (EEC S22/25/36-Do not breathe dust, avoid contact with eyes and wear suitable protective clothing.

## Section 16 – Other Information

Hazardous Material Information System (U.S.A.) [Ratings Key: 4=Highest hazard, 0=Lowest hazard] Health: 1 Fire Hazard: 0 Reactivity: 0 Personal Protection: E Date Prepared: 01/08/2016

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss damage or expense arising out of any way connected with the handling, storage, use or disposal of this product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable.