

Safety Data Sheet
Lecenté Finishing Wipe Liquid 2021 formula
Page 1

Compilation Date: 19/05/2020



Section 1 – Identification of the Substance/Preparation and of the Company Undertaking

1.1. Product identifier

Product name: Lecenté Finishing Wipe Liquid

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Not applicable

1.3. Details of the supplier of the safety data sheet

Company name: Nail Perfection Ltd, Unit 15 Canal Industrial Park, Gravesend, Kent. DA12 2PA.

Emergency Phone Numbers: +44 1474 327770

Information Contacts: +44 1474 327770

Email: maria@lecente.com

Section 2 - Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Flam. Liq. 2, H225

Skin Irrit. 2, H315

Eye Irrit. 2, H319

STOT SE 3, H336

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Ingredients of unknown toxicity

17.5 percent of the mixture consists of component(s) of unknown oral toxicity

99.8 percent of the mixture consists of component(s) of unknown inhalation toxicity

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements



Hazard pictograms :

Signal word :

Danger

Hazard statements :

Highly flammable liquid and vapor.

Causes serious eye irritation.

Causes skin irritation.

May cause drowsiness or dizziness.

Precautionary statements

Wear protective gloves. Wear protective clothing. Wear eye or face protection.

Prevention :

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking

Response :

IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF

ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

Storage :

Store locked up

Disposal :

Dispose of contents and container in accordance with all local, regional, national and international regulations.

Hazardous ingredients :

propan-2-ol, isopropyl myristate

Supplemental label elements : Not applicable

Safety Data Sheet
Lecenté Finishing Wipe Liquid 2021 formula
Page 2

Compilation Date: 19/05/2020



Section 2 - Hazards identification cont...

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Not applicable.

Special packaging requirements

Containers to be fitted with child-resistant fastenings: Not applicable.

Tactile warning of danger : Not applicable.

2.3 Other hazards

Other hazards which do not result in classification : None known.

Section 3 - Composition/information on ingredients

3.2. Mixtures

EINECS	CAS	INCI	CLP classification	%
PROPAN-2-OL 200-661-7	CAS: 67-63-0	ISOPROPYL ALCOHOL	Flam Liq. 2 H225 ; Eye Irrit. 2 : H319 ; STOT SE 3 H336	≥75 - ≤90
ISOPROPYL MYRISTATE	CAS: 110-27-0	ISOPROPYL MYRISTATE	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 4, H413	≥10 - <25

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

[6] Additional disclosure due to company policy

Occupational exposure limits, if available, are listed in Section 8.

Section 4 - First aid measures

4.1. Description of first aid measures

Eye Contact :

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Inhalation :

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison centre or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Skin Contact :

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Compilation Date: 19/05/2020



Section 4 - First aid measures cont...

- Ingestion :** Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison centre or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Protection of first-aiders :** No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

- Eye contact :** Adverse symptoms may include the following:
pain or irritation
watering
redness
- Inhalation :** No specific data.
- Skin contact :** Adverse symptoms may include the following:
redness
irritation

4.3 Indication of any immediate medical attention and special treatment needed

- Notes to physician :** Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Specific Treatments : No specific treatments

Section 5 - Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use dry chemical, CO₂, water spray (fog) or foam.

Unsuitable extinguishing media : Do not use water jet.

5.2 Special hazards arising from the substance or mixture

- Hazards from the Substance or mixture :** Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. The vapour/gas is heavier than air and will spread along the ground. Vapours may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back.
- Hazardous combustion products :** Decomposition products may include the following materials:
carbon dioxide
carbon monoxide

Compilation Date: 19/05/2020



Section 5 - Fire-fighting measures cont...

5.3. Advice for fire-fighters

Special protective action for Promptly isolate the scene by removing all persons
from the vicinity of the incident if

fire-fighters: there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

Section 6 - Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions :

Avoid dispersal of spilled material runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Small spill : Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill : Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

6.4 Reference to other sections :

See Section 1 for emergency contact information.
See Section 8 for information on appropriate personal protective equipment.
See Section 13 for additional waste treatment information

Compilation Date: 19/05/2020



Section 7 - Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures : Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene : Eating, drinking and smoking should be prohibited in areas where this material is used, handled stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

Seveso Directive - Reporting thresholds (in tonnes)

Danger criteria

Category	Notification and MAPP threshold	Safety report threshold
P5c	5000	50000

7.3 Specific end use(s)

Recommendations : Not available.

Industrial sector

specific solutions : Not available.

Section 8 - Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1. Control parameters

Occupational exposure limits

No exposure value limit known

Compilation Date: 19/05/2020



Section 8 - Exposure controls/personal protection cont...

8.1. Control parameters

Recommended monitoring procedures :

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

No DNELs/DMELs available

PNECs

No PNECs available

8.2. Exposure controls

Appropriate engineering controls :

Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Individual Protection measures

Hygiene protection measures :

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection :

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Hand protection :

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection :

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves. Refer to European Standard EN 1149 for further information on material and design requirements and test methods.

Safety Data Sheet
Lecenté Finishing Wipe Liquid 2021 formula
Page 7

Compilation Date: 19/05/2020



Section 8 - Exposure controls/personal protection cont...

8.2 Other skin protection :	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection :	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
Environmental exposure controls :	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Section 9 - Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Liquid
Colour:	Violet
Odour:	Pungent, fruity
Odour threshold:	Not available
pH:	Not available
Melting/freezing point:	Not available
Initial boiling point/boiling range:	>80°C
Flash point:	Closed cup: 10°C [Tagliabue.]
Evaporation rate:	Not available
Flammability (solid/gas):	Not available
Upper/lower flammability or Explosive limits:	Not available
Vapour pressure:	Not available
Vapour density:	3 [Air = 1]
Relative density:	Not available
Solubility(ies):	Not available
Partition coefficient: n/octanol/	
Water:	Not available
Auto-ignition temperature:	Not available
Decomposition temperature :	Not available.
Viscosity:	Not available
Explosive properties:	Not available
Oxidising properties:	Not available

9.2 Other information

Solubility in water:	Not available
-----------------------------	---------------

Compilation Date: 19/05/2020



Section 10 - Stability and reactivity

- 10.1. Reactivity :** No specific test data related to reactivity available for this product or its ingredients.
- 10.2. Chemical stability :** The product is stable
- 10.3. Possibility of hazardous Reactions :** Under normal conditions of storage and use, hazardous reactions will not occur.
- 10.4. Conditions to avoid :** Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. Do not allow vapor to accumulate in low or confined areas.
- 10.5. Incompatible materials :** Reactive or incompatible with the following materials: oxidizing materials
- 10.6. Hazardous decomposition products :** Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11 - Toxicological information

11.1. Information on toxicological effects

Product/ingredient name	Result	Species	Dose	Exposure
Propan-2-ol	LD50 Dermal	Rabbit	12800mg/kg	-
	LD50 Oral	Rat	5000mg/kg	-
Isopropyl myristate	LD50 Dermal	Rabbit	5g/kg	-

Conclusion/Summary : Not available
Acute toxicity estimates : Not available

Product/ingredient name	Result	Species	Score	Exposure	Observation
Propan-2-ol	Eyes - Moderate irritant	Rabbit	-	10mg	-
	Eyes – Severe irritant	Rabbit	-	100mg	-
	Skin – Mild irritant	Rabbit	-	500mg	-
	Eyes – Moderate irritant	Rabbit	-	24 hours 100mg	-
Isopropyl myristate	Skin – Moderate irritant	Guinea pig	-	24 hours 100mg	-
	Skin – Mild irritant	Human	-	72 hours 85mg l	-
	Skin – Mild irritant	Rat	-	24 hours 100mg	-
	Skin – Mild irritant	Rabbit	-	24 hours 426mg	-
	Skin – Severe irritant	Rabbit	-	24 hours 100mg	-

Conclusion/Summary : Not available.
Sensitisation
Conclusion/Summary : Not available.
Mutagenicity
Conclusion/Summary : Not available.
Carcinogenicity
Conclusion/Summary : Not available.
Teratogenicity
Conclusion/Summary : Not available.
Reproductive toxicity
Conclusion/Summary : Not available

Safety Data Sheet
Lecenté Finishing Wipe Liquid 2021 formula
Page 9

Compilation Date: 19/05/2020



Section 11 - Toxicological information cont...

Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
Propan-2-ol	Category 3	Not applicable	Narcotic effects

Specific target organ toxicity (repeated exposure) :

Not available

Aspiration hazard :

Not available

Information on the likely routes of exposure :

Not available.

Potential acute health effects

Inhalation :

Can cause central nervous system (CNS) depression. May cause drowsiness or dizziness.

Ingestion :

Can cause central nervous system (CNS) depression.

Skin contact :

Causes skin irritation.

Eye contact :

Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact :

Adverse symptoms may include the following:
pain or irritation
watering
redness

Inhalation :

No specific data

Skin contact :

Adverse symptoms may include the following:
redness
irritation

Ingestion :

No specific data.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Potential immediate effects : Not available

Potential delayed effects : Not available

Potential immediate effects : Not available

Potential delayed effects : Not available

Potential chronic health effects

Not available

Conclusion/Summary :

Not available.

General :

No known significant effects or critical hazards.

Carcinogenicity :

No known significant effects or critical hazards.

Mutagenicity :

No known significant effects or critical hazards.

Teratogenicity :

No known significant effects or critical hazards.

Developmental effects :

No known significant effects or critical hazards.

Fertility effects :

No known significant effects or critical hazards.

Other information :

Not available

Safety Data Sheet
Lecenté Finishing Wipe Liquid 2021 formula
Page 10

Compilation Date: 19/05/2020



Section 12 - Ecological information

12.1. Toxicity

Product/ingredient name	Result	Species	Exposure
Propan-2-ol	Acute EC50 7550 mg/l fresh water	Daphnia - Daphnia magna – Neonate	48 hours
	Acute LC50 1400000 µg/l marine water	Crustaceans - Crangon crangon	48 hours
	Acute LC50 4200 mg/l Fresh water	Fish - Rasbora heteromorpha	96 hours

Conclusion/Summary : Not available.

12.2 Persistence and degradability

Conclusion/Summary : Not available.

12.3 Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
Propan-2-ol	0.05	-	Low
Isopropyl myristate	7.71	-	High

12.4. Mobility in soil

Soil/water partition coefficient (KOC) :

Not available

Mobility:

Not available

12.5. Results of PBT and vPvB assessment

PBT identification :

Not available

vPvB :

Not available

12.6. Other adverse effects

Other adverse effects:

No known significant effects or critical hazards

Section 13 - Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1. Waste treatment methods

Product

Methods of disposal :

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste :

The classification of the product may meet the criteria for a hazardous waste

Packaging :

Methods of disposal :

The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Safety Data Sheet
Lecenté Finishing Wipe Liquid 2021 formula
Page 11





Compilation Date: 19/05/2020



Section 13 - Disposal considerations cont...

Special precautions : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapour from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14 - Transport information

	ADR	ADN	IMDG	IATA
14.1 UN Number:	UN1993	UN1993	UN1993	UN1993
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (Isopropyl alcohol)	FLAMMABLE LIQUID, N.O.S. (Isopropyl alcohol)	FLAMMABLE LIQUID, N.O.S. (Isopropyl alcohol)	FLAMMABLE LIQUID, N.O.S. (Isopropyl alcohol)
14.3. Transport hazard class(es):	 3	 3	 3	 3
14.4. Packing group:	II	II	II	II
14.5. Environmental hazards:	No.	No.	No.	No.

Additional information

ADR/RID : Special provisions 640 (C)
Tunnel code (D/E) 14.6.

ADN : Special provisions 640 (C)

Special precautions for user: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Not available.

Section 15 - Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Not applicable.

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

Seveso Directive

This product is controlled under the Seveso Directive.

Safety Data Sheet
Lecenté Finishing Wipe Liquid 2021 formula
Page 12

Compilation Date: 19/05/2020



Section 15 - Regulatory information cont...

Danger criteria

Category P5c

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia : Not determined.

Canada : Not determined.

China : Not determined.

Europe : All components are listed or exempted.

Japan : Japan inventory (ENCS): Not determined.

Japan inventory (ISHL): Not determined.

Republic of Korea : Not determined.

Malaysia : Not determined.

New Zealand : All components are listed or exempted.

Philippines : Not determined.

Taiwan : All components are listed or exempted.

United States : Not determined.

Turkey : Not determined.

Thailand : Not determined.

Viet Nam : Not determined.

15.2 Chemical Safety Assessment

This product contains substances for which Chemical Safety Assessments are still required.

Indicates information that has changed from previously issued version.

ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EUH statement =

CLP-specific Hazard statement

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RRN = REACH Registration Number

vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Flam. Liq. 2, H225	On basis of test data
Skin Irrit. 2, H315	Calculation method
Eye Irrit. 2, H319	Calculation method
STOT SE 3, H336	Calculation method

Safety Data Sheet
Lecenté Finishing Wipe Liquid 2021 formula
Page 13

Compilation Date: 19/05/2020



Full text of abbreviated H statements

H225	Highly flammable liquid and vapor.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H413	May cause long lasting harmful effects to aquatic life.

Full text of classifications [CLP/GHS]

Aquatic Chronic 4, H413 Eye Irrit. 2, H319 Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336	AQUATIC HAZARD (LONG-TERM) - Category 4 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2 FLAMMABLE LIQUIDS - Category 2 SKIN CORROSION/IRRITATION - Category 2 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Narcotic effects) - Category 3
---	---

Date of printing 5/26/2020
Date of issue/ Date of revision 5/19/2020

Date of previous issue No previous validation

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Notice to reader Information contained within this SDS is only to be distributed as required by law.

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2015/830