



Section 1 – Identification of the Substance/Preparation and of the Company Undertaking

1.1. Product identifier

Product name: Lecenté Hard Builder Gels (Clear, White, Pink)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC39: Cosmetics, personal care products.

1.3. Details of the supplier of the safety data sheet

Company name: Nail Perfection Limited, Unit 15 Canal Industrial Park, Canal Road, Gravesend, Kent. DA12 2PA. UK

Emergency Phone Numbers: +44 1474 327770

Information Contacts: +44 1474 327770

Email: maria@lecente.com

Section 2 - Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Aquatic Chronic 3: H412; Eye Dam. 1: H318; Skin Irrit. 2: H315; Skin Sens. 1A: H317; STOT SE 3: H335

Most important adverse effects: Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements:

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H335: May cause respiratory irritation.

H412: Harmful to aquatic life with long lasting effects.

Hazard pictograms:

GHS05: Corrosion

GHS07: Exclamation mark



Signal words:

Danger.

Precautionary statements:

P261: Avoid breathing vapours.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+352: IF ON SKIN: Wash with plenty of water/soap.

P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P314: Get medical advice/attention if you feel unwell.

P333+313: If skin irritation or rash occurs: Get medical advice/attention.

P337+313: If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.



Section 3 - Composition/information on ingredients

3.2. Mixtures

Lecente UV gels are a mixture of the following ingredients and/or pigments.

URETHANE DIMETHACRYLATE

| EINECS | CAS | PBT/WEL | CLP classification | % |
|--------|-----|---------|---|--------|
| - | ND | - | STOT SE 3: H335; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317 | 50-75% |

METHACRYLOYLOXYETHYL MALEATE

| | | | | |
|-----------|------------|---|--|------|
| 257-569-5 | 51978-15-5 | - | Acute Tox. 4: H302+312+332; Skin Corr. 1B: H314; Skin Sens. 1A: H317; Skin Irrit. 2: H315; Eye Dam. 1: H318; Eye Irrit. 2: H319 | 1-5% |
|-----------|------------|---|--|------|

TRIMETHYLBENZOYL DIPHENYLPHOSPHINE OXIDE

| | | | | |
|-----------|------------|---|---|------|
| 278-355-8 | 75980-60-8 | - | Skin Sens. 1: H317; Aquatic Chronic 2: H411; Repr. 2: H361f | 1-5% |
|-----------|------------|---|---|------|

Red 7 pigment, Titanium Dioxide

Section 4: First aid measures

4.1. Description of first aid measures

| | |
|----------------------|---|
| Skin contact: | Wash immediately with plenty of soap and water. Consult a doctor. Transfer to hospital if there are burns or symptoms of poisoning. |
| Eye contact: | Bathe the eye with running water for 15 minutes. Consult a doctor. |
| Ingestion: | Wash out mouth with water. Consult a doctor. |
| Inhalation: | Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|----------------------|--|
| Skin contact: | There may be irritation and redness at the site of contact. |
| Eye contact: | There may be irritation and redness. The eyes may water profusely. |
| Ingestion: | There may be soreness and redness of the mouth and throat. |
| Inhalation: | There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing. |

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.



Section 6 - Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: See section 8 of SDS for personal protection details.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a suitable container.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7 - Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Keep away from direct sunlight. Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Containers used must be opaque or light fast as material will polymerise under exposure to light

7.3. Specific end use(s): No data available.

Section 8 - Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9 - Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Various

Odour: Characteristic odour

Viscosity: Viscous

Flash point °C: >93

9.2. Other information

Other information: No data available.



Section 10 - Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below. Polymerisation may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Direct sunlight. Heat. Hot surfaces.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11 - Toxicological information

11.1. Information on toxicological effects

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.
Eye contact: There may be irritation and redness. The eyes may water profusely.
Ingestion: There may be soreness and redness of the mouth and throat.
Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.
Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.2. Persistence and degradability: No data available.

12.3. Bio accumulative potential: No data available.

12.4. Mobility in soil: Insoluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: No data available.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.



Section 14 - Transport information

Transport class: This product does not require a classification for transport.

Section 15 - Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16 - Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

This safety data sheet is prepared in accordance with Commission Regulation (EC) No 1272/2008.

Phrases used in s.2 and s.3: H302+312+332: Harmful if swallowed, in contact with skin or if inhaled.
H314: Causes severe skin burns and eye damage.
H315: Causes skin irritation.
H317: May cause an allergic skin reaction.
H318: Causes serious eye damage.
H319: Causes serious eye irritation.
H335: May cause respiratory irritation.
H361f: Suspected of damaging fertility.
H411: Toxic to aquatic life with long lasting effects.
H412: Harmful to aquatic life with long lasting effects

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

As with any professional nail system, we highly recommend users attend a Lecenté workshop or conversion course to get the best from our unique products.

Please find below things we feel are necessary to be aware of when working with Lecenté products.

Please keep this information to hand in case of fire, allergies etc.

All Lecenté products comply with Regulation EC 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products.

All Lecenté gel products including base coat, top coat, colour/glitter coats etc should only be used on a healthy nail plate.

All Lecenté cleansers/acetones etc are to be used only on the nail plate and surrounding skin.

All Lecenté gels are classed as cosmetic products and are designed purely for changing the appearance of the nail plate and/or surface. All Lecenté nail gels must only be placed on the nail surface (natural or artificial) and must be removed immediately from skin to minimise risk of overexposure, sensitivity and/or allergic reactions. We highly recommend users work as hygienically as possible and carry out regular risk assessments.

It is recommended that users wear PPE during treatments for safest working practices. PPE may include the wearing of a face mask; suitable clothing that is not worn outside of a salon environment, gloves, protective eye protection etc.

To minimise any allergies or overexposure, we recommend any product that comes into contact with skin is removed immediately and washed well with soap and water. Please follow removal procedures correctly.

If irritation of the skin occurs or if there is nail separation, please obtain medical advice.

All ingredients within the Lecenté gel polish range are classified as safe for use within nail gels and have been independently tested to gain CI/INCI numbers for use within cosmetic preparations.

All Lecenté products are manufactured according to Good Manufacturing Practices (GMP) and we do not perform any animal testing. All Create products are free from any animal ingredients.

Each Lecenté gel product has its curing time on the label on each bottle which is relevant for use with the Lecenté Create light. A test certificate is attached for lamp compatibility. It is important that users understand that our tests were carried out under laboratory conditions where the lights were calibrated and confirmed to be true of their wattage/nm etc. We highly recommend that if users decide on using an alternative light source, it is properly calibrated to prevent service breakdown at a later date.

The responsible person for all Lecenté products is Maria Ciantanni

In the event of any adverse reactions please notify Lecenté (Nail Perfection Ltd) on 01474 327770, maria@lecente.com please have to hand product name, colour and batch code for all products used.

The local trading standard office for Lecenté (Nail Perfection) is -

Kent County Council, Trading Standards, PO Box 320, Ashford, Kent, TN24 8AS. Tel: 03454 04 05 06

Health & safety when working with the Lecenté Create system

Minimising overexposure and allergic reactions for the nail technician

Keep this in mind when working - ***These products are for use on the surface of the nail only.***

- Change desk towel after each part of the service
- Keep your work surface clean, wipe desks regularly
- Use full PPE when working including gloves, aprons, masks, goggles etc.
- Remove product immediately if it comes into contact with the skin
- Avoid nail files coming in to contact with the nail surface (free edge is fine)
- Keep hair tied back to prevent it touching your client, touching wet product on the nails, gathering dust etc.
- Invest in an extraction unit as this will keep odours and dust to a safe level
- Dry wipe the inside of your lamp to make sure bulbs are kept clean and dust free
- Use only the leads that come with your lamp - NO OTHERS EVEN IF THEY LOOK THE SAME.
- Clean bottles regularly to prevent contamination and overexposure
- Follow manufacturer's instructions. If necessary consult your PIF's etc on a regular basis to make sure you are working as safely as possible

Minimising overexposure, sensitivities and allergic reactions for the client

- Do not allow your client to touch any part of their body once you have started the treatment
- Make sure when they put their hand in the lamp nails sit as upright as possible (If this is not possible cure the 4 fingers first and then thumbs)
- Remove any product that comes into contact with your clients skin immediately
- Avoid swiping gel off up the sidewalls as residue may get caught under the nail plate, remain uncured and may lead to hardening/splitting of the hyponychium and nail separation
- Use remover wraps instead of bowls of acetone.
- Create will flake off the nails when correct removal procedure is followed. Do not file off stubborn gel as this will lead to onycholysis (nail separation) and thinning of the nail plate over a period of time. It will also make the next removal harder as the gel will sit lower in some parts of the nail
- Assess the nails you are working on and perform a full client consultation on each treatment.
- Do not apply if the skin surrounding the nail is sore, inflamed or broken.

General things to remember

- A true allergy is any area of the body that comes in contact with cured/uncured gel products, true allergies are not localised to the nail area.
- Uncured gel will absorb its way into the body and may cause overexposure/sensitivities that may lead to an allergy. Make sure nails are thoroughly checked and any uncured product is removed
- Allergic reactions can only occur if product is not cured correctly (under cured), dust/product enters the body via ingestion, inhalation or absorption or uncured product remains on the skin.
- Allergic reactions are extremely rare if manufacturers guidelines are followed and products remain only on the nail surface, in the event of any reaction with any product, remove and seek medical advice
- Allergies are for life

Date: 14/07/2022

NP QC HBG 1,2,3



PRODUCT SPECIFICATION

PRODUCT CODE: NP Hard Builder Gels (Clear, Pink, White) 001

PRODUCT DESCRIPTION: File Off Wet Surface Coat

| PROPERTY | SPECIFICATION | TEST METHOD |
|------------------------------------|------------------------|-------------|
| Extraneous matter | None present | NP TM 01 |
| Colour (Clear, Pink, White) | Pass | NP TM 02 |
| Lecenté Create UV LED light system | 90 seconds cure - PASS | NP TM 03 |
| CND UV light system | No test performed | NP TM 04 |
| CND LED light system | No test performed | NP TM 05 |
| Brookfield Viscosity | No test performed | NP TM 06 |
| Performance Test | Pass | NP TM 07 |
| Cured colour and gloss | Pass | NP TM 08 |

This certificate confirms full and proper curing of Lecenté Hard Builder Gel (Clear, Pink, White) Coat in the aforementioned lamp.

Original Issue Date 14/07/2022

Issue No 1

Last Revision Date 14/07/2022